Quantifying Forestry BMP Effectiveness
A Regional Approach to TMDL Implementation

2006 National Nonpoint Source Coordinators Meeting

Jeff Vowell – Florida Division of Forestry

Presentation Outline

- Frame the Issue – What's the problem?
- Present an Example
- Regional Modeling Approach - Overview

Framing the Issue

Framing the Issue

- TMDL implementation calls for pollution load reduction to achieve target concentrations.

Framing the Issue

- TMDL implementation calls for pollution load reduction to achieve target concentrations.
- Forestry is a major land use nationally - for which BMPs have been established.

Framing the Issue

- TMDL implementation calls for pollution load reduction to achieve target concentrations.
- Forestry is a major land use nationally - for which BMPs have been established.
- Nonpoint source pollution load reduction strategies in forested watersheds must necessarily include BMPs.

Framing the Issue

- TMDL implementation calls for pollution load reduction to achieve target concentrations.
- Forestry is a major land use nationally - for which BMPs have been established.
- Nonpoint source pollution load reduction strategies in forested watersheds must necessarily include BMPs.
- Determining the "forestry NPS contribution" in a given (TMDL) watershed is elusive.

Framing the Issue

- TMDL implementation calls for pollution load reduction (PLR) to achieve target concentrations.
- Forestry is a major land use nationally - for which BMPs have been established.
- Nonpoint source pollution load reduction strategies in forested watersheds must necessarily include BMPs.
- Determining the "forestry NPS contribution" in a given (TMDL) watershed is elusive.
- Forestry BMPs have proven effective, but quantifying PLR from BMP implementation is even more elusive.

Florida Example



Orange Creek Basin
Newnans Lake Sub-basin

Typical, rural, mixed-land use area with streams, lakes and wetlands.

51% forested – 62% of forested area is intensive industrial pine management.

Florida Example





Basin Management Action Plan

Florida Example



Forestry BMP Survey 2005

Forestry BMP compliance was 100% within the Orange Creek Basin in 2005. But questions and uncertainty remain about:

1. The contribution to the Lake from forest fertilization, and
2. How much nutrient enrichment that BMPs actually prevent.

Solution: A Regional Modeling Approach

Project Title: Development, Evaluation and Application of Tools to Quantify the Effectiveness of Best Management Practices in the Southern U.S.

Objective: Deliver to State Foresters a standard set of tools (model) for quantifying BMP effectiveness applicable to forest management activities across the south.

Solution: A Regional Modeling Approach

- Evaluate current models, select the most appropriate

Solution: A Regional Modeling Approach

- Evaluate current models, select the most appropriate
- Modify and adapt the model to include BMPs and test model predictions

Solution: A Regional Modeling Approach

- Evaluate current models, select the most appropriate
- Modify and adapt the model to include BMPs and test model predictions
- Apply model to the full range of forest conditions, management intensities, and physiographic areas

Solution: A Regional Modeling Approach

- Evaluate current models, select the most appropriate
- Modify and adapt the model to include BMPs and test model predictions
- Apply model to the full range of forest conditions, management intensities, and physiographic areas
- Validate model across the region with on-site measurements.

Quantifying Forestry BMP Effectiveness
A Regional Approach to TMDL Implementation

2006 National Nonpoint Source Coordinators Meeting

Jeff Vowell – Florida Division of Forestry